

INDEX TO VOLUME 69

New generic, specific, and subspecific names are printed in **boldface** type

A

- Acanthis flammea*, 451, 455
Accipiter cooperii, 481, 490
 gentilis, 209, 481
 striatus, 314, 481
Acrocephalus arundinaceus orientalis, 398
Aechmophorus, 278
 elasson, 282
 occidentalis, 209, 282, 469
 occidentalis lucasi, 24
Aegithalos caudatus, 451, 455
Aeronautes saxatalis, 482
Aethia cristatella, 417
 pusilla, 417
Agapornis, 31
 cana, 31
 taranta, 31
Agelaius phoeniceus, 424, 583
 phoeniceus californicus, 292
 tricolor, 292
Aimophila botterii, 596-600
 botterii botterii, 596
 botterii petenica, 596-600
 botterii sartorii, 596
 botterii spadiconigrescens, 598
 botterii tabascensis, 598, 600
 botterii texana, 596
 botterii vantynei, 596
 ruficeps, 488, 490
Aix sponsa, 531
Albatross, Laysan, 586-595
Amadon, Dean, Galápagos finches grooming
 marine iguanas, 311
Ammodramus bairdii, 88
 savannarum, 428
Ammospiza caudacuta, 428
Amphispiza bilineata, 429, 488
Anas acuta, 158, 205, 414
 carolinensis, 415
 castanea, 185
 garganey, 158
 platyrhynchos, 25
Anderson, Daniel W. and Bartonek, James C.,
 additional observations on the status of
 North American white pelicans, 311
Andrle, Robert F., the horned guan in México
 and Guatemala, 93
Anous, 203
 minutus, 208
 stolidus, 87, 203, 208
 tenuirostris, 203
 tenuirostris atlanticus, 172
Anthus pratensis, 451
Antipitta, Scaled, 605

- Aphelocoma*, 513
 coerulescens, 483
 ultramarina, 515
 unicolor, 516
Aphrastura spinicauda, 400-404
Aquila chrysaetos, 432, 481
Aratinga canicularis, 30
 holochlora, 35
Archilochus alexandri, 482
Ardea herodias, 312
Arenaria interpres, 157, 202, 208, 415
Auklet, Crested, 417
 Least, 417
 Parakeet, 417
Aussiker, William H., Bower, Edward B., Helms,
 Carl W., and Fretwell, Stephen D., a bio-
 metric study of major body components
 of the slate-colored junco, *Junco hyemalis*,
 560
Aythya, 415
 affinis, 531

B

- Babbler, Jungle, 377
Bakus, Gerald J., changes in the avifauna of
 Fanning Island, Central Pacific, between
 1924 and 1963, 207
Barlow, Jon C., nesting of the black-capped
 vireo in the Chisos Mountains, Texas, 605
Bartonek, James C., and Anderson, Daniel W.,
 additional observations on the status of
 North American white pelicans, 311
Blackbird, Red-winged, 292, 424, 583
 Rusty, 315
 Tricolored, 292
Bluebird, Mountain, 485
 Western, 485
Blus, Lawrence J., sharp-tailed grouse relations
 to a food source near a dancing ground,
 532
Blyumental, Tatyana I., and Dolnik, Victor R.,
 autumnal premigratory and migratory
 periods in the chaffinch (*Fringilla coelebs*
 coelebs) and some other temperate-zone
 passerine birds, 435
Bobolink, 295, 583
Bobwhite, 184, 540, 545, 599
 Blackthroated, 540, 545
Boettcher, John W. and Zimmerman, Dale A.,
 the common loon in Sonora, México, 527
Bombycilla cedrorum, 581
 garrula, 315
Booby, Blue-faced, 207
 Brown, 201, 203, 207
 Red-footed, 207

- Bower, Edward B., Helms, Carl W., Aussiker, William H., and Fretwell, Stephen D., a biometric study of major body components of the slate-colored junco, *Junco hyemalis*, 560
- Brachyramphus marmoratum, 412
- Brant, Black, 414
- Branta canadensis, 24, 319
- nigricans, 414
- Brotogeris jugularis, 28-41
- versicolorus versicolorus, 32
- Browning, M. Ralph, and English, William, Anna's hummingbird in southwestern Oregon, 89; possible yellow-shafted flicker in southwestern Oregon, 210
- Brush, Alan H., hemoglobins of a ring-necked pheasant \times jungle fowl hybrid, 206; pigmentation in the scarlet tanager, *Piranga olivacea*, 549
- Bubo virginianus, 482
- Bubulcus ibis, 432, 608
- Bullfinch, 251
- Bunting, Indigo, 427, 487
- Lark, 423, 428
- Lazuli, 487, 584
- McKay's, 531
- Painted, 428
- Snow, 418
- Bush-Tanager, Common, 605
- Bussjaeger, Louis J., Carpenter, Charles C., Cleveland, Harold L., and Marcellini, Dale J., turkey vulture migration in Veracruz, México, 425
- Buteogallus anthracinus, 420
- Buteo jamaicensis, 432, 481
- lagopus, 314
- C**
- Cade, Tom J., and Maclean, Gordon L., transport of water by adult sandgrouse to their young, 323
- Calamospiza melanocorys, 423, 428
- Calcarius lapponicus, 412, 417
- Calidris canutus, 421
- Callipepla squamata, 481, 535-547
- Calocitta formosa, 517
- Calypte anna, 89
- Campylorhynchus brunneicapillus, 528
- megalopectus, 519
- zonatus, 523
- Canary, 293
- Capella gallinago, 158
- Cardinal, 172
- Carpenter, Charles C., Bussjaeger, Louis J., Cleveland, Harold L., and Marcellini, Dale J., turkey vulture migration in Veracruz, México, 425
- Carpodacus erythrinus, 451
- mexicanus, 251, 487, 584
- Catbird, 310
- Cathartes aura, 425, 431, 481
- Catherpes mexicanus, 485
- Centrocercus urophasianus, 25
- Centropelma micropterus, 470
- Centurus hoffmanni, 523
- purcherani, 523
- rubricapillus, 523
- Cephus columba, 417
- Certhia familiaris, 485
- Chachalaca, Black, 96
- Chaetura vauxi, 421
- Chaffinch, 435-468
- Charadrius semipalmatus, 413, 415, 585
- vociferus, 421
- Chat, Yellow-breasted, 193, 487
- Chen caerulescens, 25
- Chickadee, Black-capped, 259-267, 344-359
- Mountain, 484
- Chloris chloris, 451
- Chlorospingus ophthalmicus, 605
- Chlorura chlorura, 488
- Chondestes grammacus, 584
- Chordeiles acutipennis, 579
- minor, 482
- Church, Ronald L.; capture of a hoary bat, *Lasiurus cinereus*, by a sparrow hawk, 426
- Cinclus mexicanus, 490
- Cissilopha yucatanica, 516
- Cisticola, 185
- Cistothorus platensis, 599
- Clangula hyemalis, 415
- Clark, George A., Jr., individual variation in natal pterylosis of red-winged blackbirds, 423
- Cleveland, Harold L., Bussjaeger, Louis J., Carpenter, Charles C., and Marcellini, Dale J., turkey vulture migration in Veracruz, México, 425
- Coccyzus americanus, 584
- erythrophthalmus, 318
- Colaptes, 172
- auratus, 210
- cafer, 421, 482
- Colinus nigrogularis, 540, 545
- virginianus, 184, 540, 545
- Collias, Nicholas E., and Collias, Elsie C., a field study of the red jungle fowl in north-central India, 360
- Columba fasciata, 481
- livia, 584
- Conopodera aequinoctialis, 208
- Contopus pertinax, 430
- sordidulus, 483, 580
- Coragyps atratus, 146-155, 431
- Cormorant, Double-crested, 311
- Guanay, 43
- Pelagic, 413

Corvus brachyrhynchos, 484
 corax, 412, 417, 484
 cornix, 62
 frugilegus, 10
Coturnix coturnix, 206
 Cowbird, Brown-headed, 89, 289-297, 487, 583, 608
 Crane, Sandhill, 415
 Crax, 93, 103
 Creeper, Brown, 485
Crocethia alba, 158
 Crossbill, Red, 488
 Crow, Common, 484
 Hooded, 62
 Cuckoo, Black-billed, 318
 Yellow-billed, 584
 Curlew, Bristle-thighed, 202, 209
Cyanocitta cristata, 516
 stelleri, 483
Cyanocorax caeruleus, 516
 cyanomelas, 516, 520
 heilprini, 516, 520
 mystacalis, 516
 violaceus, 520
Cyanolyca cucullata, 516
 nana, 519
 pulchra, 513
 viridicyana merida, 513-521
Cyclorhynchus psittacula, 417
Cygnus buccinator, 24
Cyrtonyx montezumae, 540, 545

D

Danielsen, Thomas L., bald eagle swimming in the ocean with prey, 313
 DeBenedictis, Paul, and McCaskie, R. Guy, Cassin's kingbird and plumbeous solitary vireo in the White Mountains of California, 424
 DeBenedictis, Paul R., McCaskie, Guy, and Stallcup, Richard, the occurrence of certain flycatchers in California, 85; the status of certain fringillids in California, 426; the distribution of certain Mimidae in California, 310
 DeGroot, Edward B. III, a record of nest parasitism of the Oregon junco by the brown-headed cowbird in southern California, 609
Demigretta sacra, 201
Dendragapus gilli, 25
 obscurus, 25
 lucasi, 26
Dendrocolaptes certhia, 524
Dendrocopos lignarius, 400-404
 pubescens, 483
 scalaris, 483
 villosus, 482, 524

Dendrocygna autumnalis, 133
 bicolor helva, 318
Dendroica auduboni, 195, 486
 coronata, 186
 discolor discolor, 189
 fusca, 582
 graciae, 486
 magnolia, 581
 nigrescens, 486, 581
 occidentalis, 422
 palmarum, 582
 palmarum palmarum, 319
 pensylvanica, 186, 582
 petechia, 196, 581
 pinus, 11
 striata, 582
 townsendi, 581
 virens, 582
 DeWolfe, Barbara Blanchard, biology of white-crowned sparrows in late summer at College, Alaska, 110
 Dickcissel, 428
 Dickerman, Robert W., and Phillips, Allan R., Botteri's sparrows of Atlantic coastal lowlands of México, 596
Diomedea immutabilis, 586-595
 Dole, Mike, and Grosz, Terry, a record of the cattle egret in Humboldt County, California, 608
Dolichonyx oryzivorus, 295, 583
 Dolnik, Victor R., and Blyumental, Tatyana I., autumnal premigratory and migratory periods in the chaffinch (*Fringilla coelebs coelebs*) and some other temperate-zone passerine birds, 435
 Dove, Mourning, 481, 584
 Rock, 584
Dryocopus pileatus, 524
 Duck, Black-bellied Tree, 133
 Black-headed, 133-145
 Fulvous Tree, 318
 Harlequin, 415
 Wood, 531
Dumetella carolinensis, 310
 Dunlin, 158, 210, 416

E

Eagle, Bald, 313, 432
 Crested Serpent, 377
 Golden, 432, 481
 Easterla, David A., the Baird's sparrow and burrowing owl in Missouri, 88
 Eddinger, C. Robert, feeding helpers among immature white-eyes, 530
 Edwards, Ernest P., nests of the common bush-tanager and the scaled antpitta, 605
 Egret, Cattle, 432, 608
 Eider, Common, 415
 King, 415

- Emberiza citrinella*, 444, 451
 Emlen, Stephen T., orientation of Zugunruhe in the rose-breasted grosbeak, *Pheucticus ludovicianus*, 203
Empidonax difficilis, 483, 580
 hammondi, 189, 483
 traillii, 580
 wrightii, 580
 English, William, and Browning, M. Ralph, Anna's hummingbird in southwestern Oregon, 89; possible yellow-shafted flicker in southwestern Oregon, 210
Eremophila alpestris, 483
Ereunetes mauri, 416, 421
 pusillus, 421
Erithacus rubecula, 449
Erolia acuminata, 157, 202
 alpina, 158, 210, 416
 bairdii, 421
 melanotos, 27, 318
 minutilla, 421
 montana, 421
Euphagus carolinus, 315
- F**
- Falco biarmicus*, 340
 sparverius, 88, 426, 481, 579
 Feduccia, J. Alan, a new swallow from the Fox Canyon local fauna (Upper Pliocene) of Kansas, 526
 Finch, House, 251, 487, 584
 Mangrove, 311
 Small Ground, 311
 Fisher, Harvey I. and Hamlet, Murray P., air sacs of respiratory origin in some procellariiform birds, 586
 Flicker, Red-shafted, 482
 Yellow-shafted, 210
 Flycatcher, Ash-throated, 432, 483, 580
 Coues', 430
 Gray, 580
 Hammond, 189, 483
 Olive-sided, 483, 580
 Scissor-tailed, 86
 Traill's, 580
 Vermilion, 601-605
 Western, 483, 580
 Yucatán, 78
 Foster, Mercedes S., pterylography and age determination in the orange-crowned warbler, 1; molt cycles of the orange-crowned warbler, 169
 Fowl, Ceylon Jungle, 377-382
 Grey Jungle, 377-382
 Green Jungle, 378
 Guinea, 206
 Jungle, 206, 360-386
 Jungle, hybrid, 206
 Red Jungle, 360-386
- Francis, William J., prediction of California quail populations from weather data, 405; confused behavior of gulls in relation to weather conditions, 609
Francolinus francolinus, 376
 Franks, Edwin C., the responses of incubating ringed turtle doves (*Streptopelia risoria*) to manipulated egg temperatures, 269
Fratercula corniculata, 417
Fregata minor, 201, 207
 Fretwell, Stephen D., Helms, Carl W., Aussiker, William H., and Bower, Edward B., a biometric study of major body components of the slate-colored junco, *Junco hyemalis*, 560
 Frigatebird, Great, 201, 207
Fringilla coelebs coelebs, 435-468
 montifringilla, 453, 455
Fulica americana shufeldti, 26
- G**
- Gallinula chloropus*, 319, 420
Gallinule, Common, 319, 420
Gallus gallus, 206, 360-386
 lafayetii, 377-382
 soneratii, 377-382
 varius, 378
Garrulax leucolophus, 377
Gavia adamsii, 413
 arctica, 413, 527
 immer, 527
 stellata, 413
Geococcyx californianus, 432, 482
Geospiza fuliginosa, 311
Geothlypis trichas, 582
 trichas brachidactylus, 6, 12
Glaucidium brasilianum, 35
 gnoma, 482
Gnatcatcher, Blue-gray, 486
Godwit, Bar-tailed, 202
Goldfinch, American, 584
 Lesser, 487
Goose, Canada, 319
 Emperor, 414
Goshawk, 209, 481
 Gould, Patrick J., nocturnal feeding of *Sterna fuscata* and *Puffinus pacificus*, 529
Grallaria guatemalensis, 605
Grebe, Eared, 469
 Great, 469
 Great-crested, 469
 Pied-billed, 471
 Western, 209, 469
Grosbeak, Black-headed, 422, 487, 583
 Blue, 427, 487, 583
 Rose-breasted, 203, 422, 426, 583
 Grosz, Terry, and Dole, Mike, a record of the cattle egret in Humboldt County, California, 608

Grouse, Sharp-tailed, 532
Grus canadensis, 415
 Guan, Horned, 93-109
 Guillemot, Pigeon, 417
Guiraca caerulea, 427, 487, 583
 Gull, Band-tailed, 42
 Belcher's, 42
 Brown-hooded, 42
 Franklin's, 45
 Glaucous, 416
 Herring, 45, 274, 311, 416
 Ivory, 417
 Japanese Black-tailed, 46
 Kelp, 42
 Laughing, 45, 432
 Simeón, 42
 Slaty-backed, 417
Gygis alba, 203, 208
Gymnothinius cyanocephalus, 484

II

Hailman, Jack P., and Hatch, Jeremy J., golden plovers in the Galápagos, 320
 Hainsworth, F. Reed, and Ricklefs, Robert E., the temporary establishment of dominance between two hand-raised juvenile cactus wrens (*Campylorhynchus brunneicapillus*), 528
Haliaeetus leucocephalus, 313, 432
 Hamlet, Murray P., and Fisher, Harvey I., air sacs of respiratory origin in some procellariiform birds, 586
 Hardy, John William, the puzzling vocal repertoire of the South American collared jay, *Cyanolyca viridicyana merida*, 513; *Rhynchopsitta terrisi* is probably a valid species: a reassessment, 527
 Harris, Stanley W., and Sanford, Richard C., feeding behavior and food-consumption rates of a captive California murre, 298
 Harris, Stanley W., and Yocom, Charles F., a record of the cattle egret in Humboldt County, California, 608
 Hatch, Jeremy J., and Hailman, Jack P., golden plovers in the Galápagos, 320
 Hawk, Black, 420
 Cooper, 481
 Red-tailed, 432, 481
 Rough-legged, 314
 Sharp-shinned, 314, 481
 Sparrow, 88, 426, 481, 579
 Heckenlively, Donald B., role of song in territoriality of black-throated sparrows, 429
Helminthos vermivorus, 581
 Helms, Carl W., Aussiker, William H., Bower, Edward B., and Fretwell, Stephen D., a biometric study of major body components of the slate-colored junco, *Junco hyemalis*, 560

Heron, Great Blue, 312
 Reef, 201
Heteronetta atricapilla, 133-145
Heteroscelus, 416
 incanum, 157, 202, 208
 Hicks, David L., first record of the white-eyed vireo in Panamá, 90; adipose tissue composition and cell size in fall migratory thrushes (*Turdidae*), 387
 Hicks, David L., Mendez, Eustorgio, and Loftin, Horace, additions to the avifauna of Panamá: the palm warbler and the Connecticut warbler, 319
Hippolais icterina, 451
Hirundo aprica, 526
 rustica, 580
Histrionicus histrionicus, 412, 415
 Hummingbird, Allen, 579
 Anna, 89
 Black-chinned, 482
 Broad-tailed, 482
 Rufous, 89
Hylocichla fuscescens, 387-399
 guttata, 485
 mustelina, 387-399
 ustulata, 387-399, 581

I

Icterus bullockii, 583
 galbula, 583
 parisorum, 487, 490
 virens, 193, 487
 Irving, Laurence, West, George C., and Peyton, Leonard J., winter feeding program of Alaska willow ptarmigan shown by crop contents, 68
Ixoreus naevius, 314

J

Jaeger, Long-tailed, 416
 Jay, Azure-hooded, 516
 Blue, 516
 Brown, 516
 Collared, 513-521
 Dwarf, 519
 Magpie, 517
 Pinyon, 484
 Scrub, 483, 515
 Steller, 179, 483
 Jehl, Joseph R., Jr., Pleistocene birds from Fossil Lake, Oregon, 24
 Johnson, R. Roy, an unusual nesting of a goshawk in southern New Mexico, 209
 Johnston, David W., and McFarlane, Robert W., migration and bioenergetics of flight in the Pacific golden plover, 156

- Johnston, Richard F., and Selander, Robert K., evolution in the house sparrow. I. intra-population variation in North America, 217
- Junco caniceps, 488
 hyemalis, 315, 398
 hyemalis hyemalis, 317, 560-578
 oreganus, 584, 608
 oreganus oreganus, 317
- Junco, Gray-headed, 488
 Oregon, 317, 584, 608
 Slate-colored, 315, 317, 398, 560-578
- K**
- Kessel, Brina, late-autumn and winter bird records from interior Alaska, 313
- Kingbird, Cassin, 425, 483
 Eastern, 85
 Thick-billed, 85
 Tropical, 85
 Western, 425, 579
- Kingfisher, Belted, 584
- Kinglet, Ruby-crowned, 486
- Kittiwake, Black-legged, 417, 585
- Knot, 421
- Knudsen, Jens W., and Pearson, David L., avifaunal records from Eniwetok Atoll, Marshall Islands, 201
- Kokikokiko, 208
- L**
- Lagopus lagopus, 68, 307
 leucurus, 303-309
 mutus, 184, 307
- Lalage sueurii, 185
- Lanius ludovicianus, 486
- Lanner, 340
- Lark, Horned, 483
- Larus argentatus, 45, 274, 311, 413, 416
 argentatus vegae, 416
 atricilla, 45, 432
 belcheri, 42
 belcheri atlanticus, 42
 crassirostris, 46
 dominicanus, 42
 hyperboreus, 416
 maculipennis, 42
 pipixcan, 45
 schistisagus, 417
- Lasiewski, Robert C., and Dawson, William R., a re-examination of the relation between standard metabolic rate and body weight in birds, 13
- Lazell, James D., Jr., the ternery on Aves Island in March, 87
- Lee, Darrell T., winter breeding of the western grebe, 209
- Lepidocolaptes affinis, 524
- Limosa lapponica, 202
- Lobipes lobatus, 412, 416
- Loftin, Horace, Mendez, Eustorgio, and Hicks, David L., additions to the avifauna of Panamá: the palm warbler and the Connecticut warbler, 319
- Longspur, Lapland, 417
- Loon, Arctic, 413, 527
 Common, 527
 Red-throated, 413
 Yellow-billed, 413
- Lophortyx californicus, 405-410, 535-547
 douglasii, 535-547
 gambellii, 535-547
- Lophur leucomelana, 376
- Lorakeet, 208
- Loxia curvirostra, 488
- Lullula arborea, 444, 451
- Lunda cirrhata, 413, 417
- M**
- Maclean, Gordon L., and Cade, Tom J., transport of water by adult sandgrouse to their young, 323
- Magpie, 10
- Marcellini, Dale J., Bussjaeger, Louis J., Carpenter, Charles C., and Cleveland, Harold L., turkey vulture migration in Veracruz, México, 425
- McCaskie, R. Guy, and DeBenedictis, Paul, Cassin's kingbird and plumbeous solitary vireo in the White Mountains of California, 424
- McCaskie, R. Guy, Stallcup, Richard, and DeBenedictis, Paul, the occurrence of certain flycatchers in California, 85; the distribution of certain Mimidae in California, 310; the status of certain fringillids in California, 426
- McFarlane, Robert W., and Johnston, David W., migration and bioenergetics of flight in the Pacific golden plover, 156
- Meadowlark, Eastern, 599
 Western, 487
- Megasceryle alcyon, 584
- Melanitta deglandi, 25
- Meleagris gallopavo, 431
- Melospiza georgiana, 423, 429
 georgiana ericrypta, 429
 melodia, 266, 290
- Mendez, Eustorgio, Hicks, David L., and Loftin, Horace, additions to the avifauna of Panamá: the palm warbler and the Connecticut warbler, 319
- Merganser, American, 300
- Mergus merganser americanus, 300

- Messinger, Norman G., two June records of the
Canada goose in Grand Canyon, Arizona,
319
- Metopiana peposaca, 143
- Michael, Edwin D., behavioral interactions of
birds and white-tailed deer, 431
- Micrathene whitneyi sanfordi, 318
- Mimus polyglottos, 485, 490, 581
- Mniotilta varia, 584
- Mockingbird, 485, 581
- Molothrus ater, 289-297, 487, 608
ater artemisiae, 89, 583
ater obscurus, 289-297, 583, 608
- Morton, Martin L., diurnal feeding patterns
in white-crowned sparrows, Zonotrichia
leucophrys gambelii, 491
- Motacilla alba, 413, 417
alba lugens, 397
flava, 413, 417
- Murray, Bertram G., Jr., grebes from the Late
Pliocene of North America, 277
- Murre, Common, 298-302
- Muscicapa striata, 444, 451
- Muscivora forficata, 86
- Myadestes townsendi, 485
- Myiarchus cinerascens, 432, 483, 580
tuberculifer platyrhynchus, 79
yucatanensis, 78
yucatanensis lanyoni, 80

N

- Neochloe brevipennis, 82
brevipennis brevipennis, 82
brevipennis browni, 82
- Nichols, Walter F., cattle egrets in Ventura
County, California, 608
- Nighthawk, Common, 482
Lesser, 579
- Noddy, Black, 172
Blue-gray, 208
White-capped, 203, 208
- Nucifraga columbiana, 193, 484
- Numenius phaeopus, 202
tahitiensis, 202
- Numida numida, 206
- Nutcracker, Clark, 193, 484
- Nuthatch, Pygmy, 484
Red-breasted, 484, 580
White-breasted, 484
- Nuttallornis borealis, 483, 580
- Nyctea scandiaca, 417

O

- Ohmart, Robert D., comparative molt and ptery-
lography of the quail genera Callipepla
and Lophortyx, 535
- Oldsquaw, 415

- Olor, 414
- Olrog, C. C., breeding of the band-tailed gull
(Larus belcheri) on the Atlantic coast
of Argentina, 42
- Oporornis agilis, 319, 582
philadelphia, 320
tolmiei, 320, 486, 490, 582
- Oreophasis derbianus, 93-109
- Oreoscoptes montanus, 310
- Oriole, Baltimore, 583
Bullock, 583
Scott, 487
- Ortalis, 93
- Otus flammeolus, 490
- Otvos, Imre S., observations on the feeding
habits of some woodpeckers and wood-
creepers in Costa Rica, 522
- Ovenbird, 186, 582
- Owl, Burrowing, 89, 579
Elf, 318
Ferruginous Pygmy, 35
Great Horned, 482
Pygmy, 482
Snowy, 417
- Oxyura, 137
jamaicensis, 25

P

- Pagophila eburnea, 412, 417
- Palaeotetrix, 25
- Parakeet, Green, 35
Orange-chinned, 28-41
Orange-fronted, 30
Yellow-winged, 32
- Parkes, Kenneth C., and Phillips, Alan R., a
new subspecies of the Yucatán flycatcher,
Myiarchus yucatanensis, 78
- Parmalee, Barbara G., and Parmalee, Paul W.,
results of banding studies of the black
vulture in eastern North America, 146
- Parrot, Thick-billed, 527
- Partridge, Black, 376
- Parus ater, 355, 453, 454, 455
atricapillus, 259-267, 344-359
caeruleus, 355, 444, 451, 455
carolinensis, 355
gambeli, 484
inornatus, 484
major, 265, 355, 438-468
rufescens, 355
- Passerculus sandwichensis, 584
sandwichensis savana, 9
- Passer domesticus, 10, 217-258, 486, 584
domesticus bactrianus, 449
domesticus domesticus, 449
hispaniolensis, 246
melanurus, 329
montanus montanus, 449

- Passerella iliaca*, 584
Passerina amoena, 487, 584
 ciris, 428
 cyanea, 427, 487
 Payne, Robert B., gonadal responses of brown-headed cowbirds to long daylength, 288
 Pearson, David L., and Knudsen, Jens W., avifaunal records from Eniwetok Atoll, Marshall Islands, 201
Pedioecetes phasianellus, 26, 532
Pelecanus erythrorhynchos, 311
 Pelican, White, 311
 Penelope, 93, 103
 Penelopina, 93, 103
Petrochelidon pyrrhonota, 580
 Pewee, Western Wood, 483, 580
 Peyton, Leonard J., Irving, Laurence, and West, George C., winter feeding program of Alaska willow ptarmigan shown by crop contents, 68
Phaethon lepturus, 201, 207
 rubricauda, 201, 207
Phalacrocorax auritus, 311
 bougainvillii, 43
 macropus, 24
 pelagicus, 412, 413
Phalaenoptilus nuttallii, 482
Phalarope, Northern, 416
 Red, 416
Phalaropus fulicarius, 412, 416
Pharomacrus mocino, 106
Phasianus colchicus, 206
 Pheasant, Ring-necked, 206
 White-crested Kaleegee, 376
Phaethicus ludovicianus, 203, 422, 426, 583
 melanocephalus, 422, 487, 583
Philacte canagica, 414
 Phillips, Allan R., and Dickerman, Robert W., Botteri's sparrows of the Atlantic coastal lowlands of México, 596
 Phillips, Allan R., and Parkes, Kenneth C., a new subspecies of the Yucatán flycatcher, *Myiarchus yucatanensis*, 78
Philortyx fasciatus, 540
Phloeocastes guatemalensis, 524
 Phoebe, Black, 584
 Eastern, 86
 Say's, 483, 580
Phylloscopus trochilus, 435-468
Pica pica, 10
Picoides tridactylus, 483
Picumnus olivaceus, 523
 Pigeon, Band-tailed, 483
 Pintail, 158, 205, 414
Pipilo erythrophthalmus, 488, 490
Piranga flava, 557
 ludoviciana, 487, 490, 555, 584
 olivacea, 549-559
 rubra, 422, 555
 rubra cooperi, 422
 rubra rubra, 317
Plectrophenax hyperboreus, 531
 nivalis, 412, 418
Pliodytes lanquisti, 277
Pliolymbus baryosteus, 279
 Plover, American Golden, 164, 207
 European Golden, 164
 Golden, 156-168, 202, 320, 415
 Mountain, 421
 Semipalmated, 585
Pluvialis apricaria, 164
 dominica, 202, 320, 415
 dominica dominica, 164, 207
 dominica fulva, 156-168
Podiceps auritus, 281, 469, 474
 caspicus, 277
 cristatus, 278, 469, 474
 discors, 279
 dominicus, 473
 grisegena, 474
 major, 469, 476
 nigricollis, 469, 474
 occipitalis, 474
 parvus, 24, 282
 poliocephalus, 473
 rufopectus, 473
 subparvus, 277
 taczanowskii, 474
Podilymbus gigas, 283
 majusculeus, 283
 podiceps, 24, 471
Polioptila caerulea, 486
 Poor-will, 482
 Power, Dennis M., epigamic and reproductive behavior of orange-chinned parakeets in captivity, 28
Prinia subflava, 185
Procelsterna cerulea, 208
Psaltiriparus minimus, 484
Psilorhinus morio, 516
Ptarmigan, Rock, 184, 307
 White-tailed, 303-309
 Willow, 68, 307
Pterocles alchata, 324
 bicinctus, 329
 burchelli, 324
 exustus, 323
 gutturalis, 329
 namaqua, 324
 orientalis, 338
 senegallus, 324
Puffin, Horned, 417
 Tufted, 417
Puffinus pacificus, 201, 529, 586-595
 nativitalis, 586-595
 tenuirostris, 201
Pygarrhichas albogularis, 400-404

Pyrocephalus rubinus, 601-605
Pyrrhula pyrrhula, 251, 451

Q

Quail, Barred, 540
California, 405-410, 535-547
Douglas, 535-547
Gambel, 535-547
Japanese, 206
Montezuma, 540, 545
Scaled, 481, 535-547
Quetzal, 106

R

Raven, Common, 417, 484
Rea, Amadeo M., some bird records from San Diego County, California, 316
Redstart, American, 186, 583
Reedwarbler, Eastern Great, 398
Regulus calendula, 486
satrapa, 490
Rhynchopsitta terrisi, 527
Richards, Gerald L., nest-robbing behavior of the sparrow hawk, 88
Richmondia cardinalis cardinalis, 172
Ricklefs, Robert E., a case of classical conditioning in nestling cactus wrens, 528
Ricklefs, Robert E., and Hainsworth, F. Reed, the temporary establishment of dominance between two hand-raised juvenile cactus wrens (*Campylorhynchus brunneicapillus*), 528
Rissa tridactyla, 417, 585
Roadrunner, 432, 482
Robin, 314, 485
Rollandia micropteron, 278
rolland chilensis, 470
Rook, 10
Rosybill, 143
Russell, Richard C., and Wauer, Roland H., new and additional records of birds in the Virgin River Valley, 420

S

Salpinctes obsoletus, 485, 584
Sanderling, 158
Sandgrouse, 323-342
Sandpiper, Baird, 421
Buff-breasted, 202
Pectoral, 318
Semipalmated, 421
Sharp-tailed, 157, 202
Western, 416
Sanford, Richard C., and Harris, Stanley W., feeding behavior and food-consumption rates of a captive California murre, 298

Sanger, Gerald A., brown-headed cowbird collected far at sea, 89
Sapsucker, Williamson, 482
Yellow-bellied, 482
Sayornis nigricans, 584
phoebe, 86
saya, 483, 580
Scaup, Lesser, 531
Sealy, Spencer G., the occurrence and possible breeding of McKay's bunting on St. Lawrence Island, Alaska, 531
Seedsnipe, 341
Seiurus aurocapillus, 186, 582
motacilla, 196
noveboracensis, 171, 196, 422
Selander, Robert K., and Johnston, Richard F., evolution in the house sparrow. I. intra-population variation in North America, 217
Selasphorus platycercus, 482
rufus, 89
sasin, 579
Serinus canarius, 293
Setophaga ruticilla, 186, 583
Shearwater, Christmas Island, 586-595
Slender-billed, 201
Wedge-tailed, 201, 529, 586-595
Shoveler, 158
Shrike, Loggerhead, 486
Sialia currucoides, 485
mexicanus, 485
Siskin, Pine, 487, 584
Sitta canadensis, 484, 580
carolinensis, 484
pygmaea, 484
Smith, Susan M., seasonal changes in the survival of the black-capped chickadee, 344
Smith, W. John, displays of the vermilion flycatcher, *Pyrocephalus rubinus*, 601
Snipe, 158
Solitaire, Townsend, 485
Somateria mollissima, 413, 415
spectabilis, 415
Sparrow, Andean, 172
Baird, 88
Black-chinned, 488
Black-throated, 429, 488
Botteri, 596-600
Brewer, 317, 584
Cape, 329
Chipping, 488, 584
Clay-colored, 279, 584
Eastern Savannah, 9
Fox, 584
Golden-crowned, 423
Grasshopper, 423
Harris, 184
House, 10, 88, 217-258, 487
Lark, 584

- Rufous-crowned, 488
 Savannah, 584
 Sharp-tailed, 428
 Song, 266, 290
 Swamp, 423, 429
 Tree, 266, 315, 431, 569
 White-crowned, 110-132, 316, 317, 397, 491-512
 White-throated, 49-68, 423, 584
Spatula clypeata, 158
Speotyto cunicularia, 89, 579
Sphyrapicus thyroideus, 482
 varius, 482
Spilornis cheela, 377
Spinus pinus, 487, 584
 psaltria, 487
 pinus, 449, 453
 tristis, 584
Spiza americana, 428
Spizella arborea, 266, 315, 431, 569
 atrogularis, 488
 breweri, 584
 breweri taverneri, 317
 pallida, 429, 584
 passerina, 488, 584
 Stallcup, Richard R., McCaskie, Guy, and De-Benedictis, Paul, the occurrence of certain flycatchers in California, 85; the distribution of certain Mimidae in California, 310; the status of certain fringilids in California, 426
 Starling, 10, 486
 Red-cheeked, 397
 Stefanski, Raymond A., utilization of the breeding territory in the black-capped chickadee, 259
Stelgidopteryx ruficollis, 580
Stercorarius longicaudus, 413, 416
Sterna anaethetus, 87
 fuscata, 87, 172, 203, 529
 paradisaea, 412, 417
 sumatrana, 203, 208
 Stewart, Paul A., diving wood duck ducklings entangled in filamentous algae, 531
 Storer, Robert W., the patterns of downy grebes, 469
 Strauch, Joseph G., Jr., spring migration of dunlin in interior western Oregon, 210
Streptopelia risoria, 269-276
Sturnella magna, 599
 neglecta, 487
Sturnia violacea, 397
Sturnus vulgaris, 10, 449, 486
 Suffel, G. Shumway, an additional specimen of Coues' flycatcher in California, 430
Sula dactylatra, 207
 leucogaster, 201, 207
 sula, 207
 Swallow, Barn, 580
 Cliff, 88, 580
 Rough-winged, 580
 Violet-green, 88, 483
 Swift, Vaux, 421
 White-throated, 482
Sylvia borin, 444, 451
Synthliboramphus antiquum, 412
Syrhaptes paradoxus, 335
 tibetanus, 335
- T**
- Tachybaptus*, 278
 novaehollandiae, 469
 pelzelni, 473
 ruficollis, 469
 rufolavatus, 473
Tachycineta speleodytes, 527
 thalassina, 483, 490
 Tanager, Hepatic, 557
 Scarlet, 549-559
 Summer, 317, 422, 555
 Western, 487, 555, 583
 Tatschl, John L., breeding birds of the Sandia Mountains and their ecological distributions, 479
 Tattler, Wandering, 157, 202, 208
 Teal, Garganey, 158
 Green-winged, 415
 Tenaza, Richard R., recent records of land birds from South Farallon Island, California, 579
 Tern, Arctic, 417
 Black-capped, 203, 208
 Bridled, 87
 Crested, 203
 Fairy, 203, 208
 Noddy, 87, 208
 Sooty, 87, 172, 203, 529
Thalasseus bergii, 203
 Thompson, Charles F., notes on the birds of the northeast cape of St. Lawrence Island and of the Penuk Islands, Alaska, 411
 Thrasher, Bendire, 310
 Brown, 310
 Crissal, 485
 Curve-billed, 310
 Sage, 310
 Thrush, Hermit, 485
 Swainson, 387-399, 581
 Varied, 314
 White-crested Laughing, 377
 Wood, 387-399
 Tit, Coal, 356
 Great, 265, 438-468
 Titmouse, Plain, 484
Totanus flavipes, 416, 421
 melanoleucus, 27, 158

- Towhee, Brown, 488
 Green-tailed, 488
 Toxostoma bendirei, 310
 curvirostre, 310
 dorsale, 485
 rufum, 310
 Troglodytes aedon, 485, 490, 581
 troglodytes, 581
 Tropicbird, Red-tailed, 201, 207
 White-tailed, 201, 207
 Tryngites subruficollis, 202
 Turdoides striatus, 377
 Turdus migratorius, 314, 485
 Turkey, Wild, 431
 Turnstone, Ruddy, 157, 202, 208, 415
 Turtle Dove, Ringed, 269-276
 Tympanuchus cupido, 26
 Tyrannus crassirostris, 85
 melancholicus, 85
 tyrannus, 85
 verticalis, 425, 579
 vociferans, 425, 483

U

- Uria, 417
 aalge californica, 298-302

V

- Van Velzen, Willet T., black-billed cuckoo
 records in California, 318; coastal Cali-
 fornia record of a tree sparrow, 431
 Veery, 387-399
 Vermivora celata, 1-12, 169-200, 486, 581
 celata celata, 169-200
 celata lutescens, 3, 9, 10, 159-200
 celata orestera, 3, 9, 169-200
 celata sordida, 9, 10, 11, 169-200
 chrysoptera, 177
 luciae, 186
 peregrina, 316, 581
 pinus, 1, 177
 ruficapilla, 581
 ruficapilla ruficapilla, 177
 virginiae, 486, 490
 Vini kuhlii, 208
 Vireo atricapilla, 605-608
 bellii, 607
 brevipennis, 82
 gilvus, 486, 581
 griseus, 607
 griseus noveboracensis, 90
 solitarius, 486
 solitarius plumbeus, 425
 vicinior, 605
 Vireo, Bell, 607
 Black-capped, 605-608
 Gray, 605
 Slaty, 83
 Solitary, 425, 486
 Warbling, 486, 581
 White-eyed, 90, 607
 Virginiae crissalis, 196
 virginiae, 196
 Von Haartman, Lars (Review of) Handbuch
 der Vögel Mitteleuropas. I. Gaviiformes
 —Phoenicopteriformes, 213
 Vuilleumier, François, mixed species flocks in
 Patagonian forests, with remarks on inter-
 species flock formation, 400
 Vulture, Black, 146-155, 431
 Turkey, 425, 431, 481

W

- Wagtail, Kamtschatken, 397
 White, 417
 Yellow, 417
 Warbler, Audubon, 195, 486
 Black-and-white, 584
 Blackburnian, 582
 Blackpoll, 582
 Black-throated Gray, 486, 581
 Black-throated Green, 582
 Blue-winged, 177
 Canada, 196
 Chestnut-sided, 186, 582
 Colima, 196
 Connecticut, 319, 582
 Golden-winged, 177
 Grace, 486
 Hermit, 422
 Hooded, 196
 Lucy, 186
 MacGillivray, 320, 486, 582
 Magnolia, 581
 Mourning, 320
 Myrtle, 186
 Nashville, 581
 Orange-crowned, 1-12, 169-200, 486, 581
 Palm, 319, 581
 Pine, 17, 171
 Prairie, 189
 Tennessee, 316, 581
 Townsend, 581
 Virginia, 196, 486
 Wilson, 582
 Worm-eating, 581
 Yellow, 196, 435-468, 581
 Waterthrush, Louisiana, 196
 Northern, 171, 196, 422
 Wauer, Roland H., and Russell, Richard C., new
 and additional records of birds in the Vir-
 gin River Valley, 420
 Waxwing, Bohemian, 315
 Cedar, 581
 Weeden, Robert B., seasonal and geographic
 variation in the foods of adult white-
 tailed ptarmigan, 303

- Weise, Charles M., castration and spring migration in the white-throated sparrow, 49
- Weller, Milton W., notes on plumages and weights of the black-headed duck, *Heteronetta articipilla*, 133
- West, George C., Irving, Laurence, and Peyton, Leonard J., winter feeding program of Alaska willow ptarmigan shown by crop contents, 68
- Wheeler, Richard J., common gallinule in Humboldt County, California, 319
- Whimbrel, 202
- White-eye, 530
- Wilsonia canadensis*, 196
 citrina, 196
 pusilla, 582
- Wolf, Larry L., notes on the taxonomy and plumages of the slaty vireo, 82
- Woodpecker, Downy, 483
 Hairy, 482
 Ladder-backed, 483
 Northern Three-toed, 483
- Wren, Cactus, 528
 Canyon, 485
 House, 485, 581
 Rock, 485, 584
 Short-billed Marsh, 599
 Winter, 581
- X**
- Xolmis pyrope*, 400-404
- Y**
- Yellowlegs, Greater, 158
 Lesser, 416, 421
- Yellowthroat, 6, 582
- Yocom, Charles F., pintail banded in northwestern California taken at Baykal Lake, Russia, 205
- Yocom, Charles F., and Harris, Stanley W., a record of the cattle egret in Humboldt County, California, 608
- Z**
- Zenaidura macroura*, 481, 584
- Zimmerman, Dale A., and Boettcher, John W., the common loon in Sonora, México, 527
- Zonotrichia albicollis*, 49-68, 423, 584
 atricapilla, 423
 capensis, 172
 leucophrys, 316, 423
 leucophrys gambelii, 110-132, 397, 491-512
 leucophrys oriantha, 317
 leucophrys pugetensis, 317
 querula, 184
- Zosterops palpebrosa japonica*, 530

